DEPARTMENT OF THE INTERIOR. Office of U. S. Surveyor-Jeneral.

San Francisco, California, August 17, 1922.

I, John Plover, U. S. Surveyor-General for California, do hereby certify that the annexed transcript of the field notes of Sections 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 and 2% of Township 7 North, Range 9 West, of the San Bernardino Base and Meridian, California, is a true and literal exemplification of the same on file in this office.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and caused the seal of this office to be affixed on the day and year above written.

JOHN PLOVER,

(OFFICIAL SEAL)

United States Surveyor-General

for California.

3|3 3,3 20 000 8 Q. 33 34 35 36 31 32 36 31 T. 8 N. TTN. 6 93 6 2 175 12 4 9 10 12 9 6 11 7 3/2 16 8 12 11 16 8 15 5 14 18 213 1517 18 13 10 11 7 8 5 14 20 10 21 7 22 4 23 19 24 19 24 13 13 30 25 27 4 26 13 29 10 28 30 25 3/ 35 36 36 31 32 33 34 T.7 N. T.6 N.

Surveyed by Henry Hancock- 1856

Horth between sections 25 and 26

Variation 14008 F.

* * * * * * * * * * * *

80.00 Set a charred post for the corner to sections 23, 24
25 and 26 and made a mound with trench and pits as per
instructions.

Land rolling first half mile, last hilly.

East on a random line between sections 24 and 25 Variation 14-08'E.

- 40.00 Set a post for the temporary & section corner.
- 50.40 Intersect the east boundary of the township 40 links south of the corner to sections 24 and 25, from which corner I run

West on the true line between sections 24 and 25 Variation 14-25 E.

- 40.20 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.40 The corner to sections 23, 24, 25 and 26 Land hilly with some grass

North between sections 23 and 24

Variation 14.08'E.

- 34.00 To summit of mountain and descend.
- 40.01 Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions.
- 53.00 To foot of mountain and to a gentle descent.
- 50.01 Set a charred post for corner to sections 13, 14, 23 and 24 and made a mound with trench as per instructions.

Land hilly and rolling with grass and bushes

- T. 7 N., R. 9 W., of S.B.M.
- Chains. East on a random line between sections 13 and 24 Variation 14-05 E.
- 40.00 Set a post for temporary & section corner.
- 50.37 Intersect the east boundary of the township 45 links
 South of the corner to sections 13 and 24, from
 which corner I run

West on the true line between sections 13 and 24 Variation 14-25'E.

- 40.15 Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions.
- 80.37 The corner to sections 13, 14, 23 and 24.

 Land rolling with grass, bushes and palmetto.

North between sections 13 and 14

Variation 14.08 E.

- 40.00 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for the corner to sections 11, 12, 13 and 14 and made a mound with trench as per instructions.

Land rolling with grass, bushes and palmetto.

East on a random line between sections 12 and 13 Variation 14-05'E.

- 40.00 Set a post for temporary & section corner.
- 80.47 Intersect the east boundary of the township 50 links
 South of the corner to sections 12 and 13, from
 which corner I run

West on the true line between sections 12 and 13
Variation 14-29' E.

- 40.23 Set a charred post for the \(\frac{1}{4}\) section corner and made a mound with trench and pits as per instructions.
- 50.47 The corner to sections 11, 12, 13 and 14
 Land rolling with grass, bushes and palmetto.

February 11, 1856

North between sections 11 and 12

Variation 14-08'E.

- 40.00 Set a charred post for the 2 section corner and made a mound with trench as per instructions.
- 80.00 Set a charred post for the corner to sections 1, 2, 11 and 12, and made a mound with trench and pits as per instructions.

Land rolling and sandy with grass and so forth.

East on a random line between sections 1 and 12
Variation 14-05'E.

- 40.00 Set a post for temporary & section corner.
- 50.43 Intersect the East boundary of the township 44 links
 South of corner to sections 1 and 12, from which
 corner I run

West on the true line between sections 1 and 12
Variation 14-27'E.

- 40.21 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.43 The corner to sections 1, 2, 11 and 12
 Land rolling and sandy with grass, bushes and palmette.

North on a random line between sections 1 and 2 Variation 14.08'E.

- 40.00 Set a post for temporary & section corner.
- 50.50 Intersect the North boundary of the township 25 links

 East of corner to sections 1 and 2, from which

 corner I run.

South on the true line between sections I and 2
Variation 14-19'E.

40.80 Set a charred post for the \(\frac{1}{4}\) section corner and made a mound with trench as per instructions.

50.50 The corner to sections 1, 2, 11 and 12 Land rolling and sandy with grass, bushes and palmetto.

North on line between sections 26 and 27
Variation 14-05'E.

* * * * * * * * * * *

50.00 Set a charred post for corner to sections 22, 23, 26 and 27 and made a mound with treach and pits as per instructions.

Land rolling and very hilly with some good grass.

East on a random line between sections 23 and 26 Variation 14.08' E.

- 17.00 To foot of rugged hill 160 feet high
- 40.00 Set a post for temporary & section corner
- 50.60 Intersect north and south line 25 links south of the corner to sections 23, 24, 25 and 26, from which corner I run
 - West on the true line between sections 23 and 26 Variation 14*19'E.
- 40.30 The 2 section corner coming at a point so steep and rugged that I could not make a mound, that would remain I set a witness post and made a mound of rock 23 chains west of base of hill.
- 50.60 The corner to sections 22, 23, 26 and 27 Land very steep and rocky.

North between sections 22 and 23

Variation 14*08' E.

- 40.00 Set a charred post for the 2 section corner and made a mound with trench as per instructions.
- 50.01 Set a charred post for corner to sections 14, 15, 22 and 23 and made a mound with treach and pits as per instructions.

Land rolling and sandy with bushes and palmetto.

mt. A	
Chains.	East on a random line between sections 14 and 23. Variation 14*05: r.
40.00	Set a post for temporary & section corner
80.46	Intersect the north and south line 39 links south of
	the corner to sections 13, 14, 23 and 24, from which
	corner I run
	West on the true line between sections 14 and 23
	Variation 14-25 E.
40.23	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions.
80.46	The corner to sections 14, 15, 22 and 23.
	Land rolling and sandy with bushes and palmetto.
	Worth between sections 14 and 15
	Variation 14.05' E.
40.00	Set a charred post for the & section corner and made a
	mound with trench as per instructions.
50.00	Set a charred post for corner to sections 10, 11, 14 and
	15 and made a mound with trench as per instructions.
	Land rolling and sandy with bushes and palmetto.
	East on a random line between sections 11 and 14
	Variation 14005'E.
40.00	Set a post for temporary & section corner
80.40	Intersect the north and south line 34 links south of
	corner to sections 11, 12, 13 and 14, from which
	corner I run
	West on the true line between sections 14 and 11
	Variation 14-23'E.
40.20	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions.
80.40	The corner to sections 10, 11, 14 and 15
	Land rolling and sandy with palmetto and bushes.

North between sections 10 and 11.

Chains.

Variation 14-08'E.

- 40.00 Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions.
- 50.00 Set a charred post for corner to sections 2, 3, 10 and 11 and made a mound with trench as per instructions.

 Land rolling and sandy with grass, bushes and palmetto.

February 12, 1856.

East on a random line between sections 2 and 11

Variation 14-06'E.

- 40.00 Set a post for temporary & section corner
- 50.56 Intersect north and south line 40 links south of the corner to sections 1, 2, 11 and 12, from which corner I run

West on a true line between sections 2 and 11
Variation 14-25'E.

- 40.25 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.56 The corner to sections 2, 3, 10 and 11.

 Land rolling and sandy with grass and bushes

North on a random line between sections 2 and 3

Variation 14-08'E.

- 40.00 Set a post for temperary & section corner
- 80.90 Intersect the north and south line 34 links east of the corner to sections 2 and 3, from which corner I run south on a true line between sections 2 and 3

 Variation 14*23*E.
- 40.90 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.90 The corner to sections 2, 3, 10 and 11.

 Land rolling and sandy with grass and bushes.

North between sections 27 and 25.

Chains.

Variation 14*08'E.

x x x x x x x

50.00 Set a charred post for the corner to sections21, 22, 27 and 25 and made a mound with trench and pits as per instructions.

Land generally level and sandy with grass and bushes.

East on a random line between sections 22 and 27 Variation 14*08'E.

40.00 Set a post for temporary & section corner

SO.48 Intersect north and south line 43 links south of the corner to sections 22, 23, 26 and 27, from which corner I run

West on the true line between sections 22 and 27 Variation 14-26'E.

- 40.24 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.45 The corner to sections 21, 22, 27 and 25 Land level and sandy with grass and bushes.

North between sections 21 and 22

Variation 14.08 'E.

- 40.00 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 80.00 Set a charred post for corner to sections 15, 16, 21 and 22 and made a mound with trench and pits as per instructions.

Land level with grass and palmetto.

East on a random line between sections 15 and 22
Variation 14-05'E.

- 40.00 Set a post for temperary & section corner
- 50.50 Intersect the north and south line 46 links south of corner to sections 14, 15, 22 and 23, from

Chains.

which corner I run

West on the true line between sections 15 and 22

Variation 14028'E.

- 40.25 Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions.
- 50.50 The corner to sections 15, 16, 21 and 22.

 Land generally level with grass and palmetto.

North between sections 15 and 16

Variation 14-08'E.

- 25.00 To foot of isolated rocky hill and ascend.
- 40.00 Set a charred post for the t section corner and made a mound with trench as per instructions.
- 51.00 To summit of hill and descend.
- 80.01 Set a charred post for corner to sections 9, 10, 15 and 16 and made a mound with trench and pits as per instructions.

Land billy, rocky and thirdrate.

East on a random line between sections 10 and 15 Variation 14-05'E.

- 25.00 Leave hills.
- 40.00 Set a post for temporary & section corner.
- 80.00 Intersect north and south line 40 links south of the corner to sections 11, 10, 14 and 15, from which corner I run

West on the true line between sections 10 and 15 Variation 14-25'E.

- 40.00 Set a charred post for the 2 section corner and made a mound with trench and pits as per instructions.
- 50.00 The corner to sections 9, 10, 15 and 16.

 Land generally level with grass, bushes and palmetto.

North between sections 9 and 10.

Chains.	* f we have be be me as be me
स्तर जान्ये स्थापनाच क्रिके स्थिते हैं	Variation 14-08'E.
26.00	To foot of mountain.
40.00	Set a charred post for the & section corner and made a
	mound with trench as per instructions.
80.00	Set a charred post for corner to sections 3, 4, 9 and
	10 and made a mound with trench and pits as per
	instructions.
	Land hilly and rolling with grass and palmetto.
	East on a random line between sections 3 and 10
	Variation 14-08' E.
40.00	Set a post for temperary & section corner
80.40	Intersect north and south line 37 links south of the
	corner to sections 2, 3, 10 and 11, from which corner
	I run
	West on the true line between sections 3 and 10.
	Variation 14-24: E.
40.20	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions.
80.40	The corner to sections 3, 4, 9 and 10.
	Land rolling and sandy with grass and bushes.
	North on a random line between sections 3 and 4
	Variation 14-08' E.
40.00	Set a post for temporary & section corner
80.60	Intersect the north boundary of the township 42 links
	East of the corner to sections 3 and 4, from which
	corner I run
	South on a true line between sections 3 and 4
	Variation 14-26 E.
40.60	Set a charred post for the 2 section corner and made a
	mound with trench and pits as per instructions.
80.60	The corner to sections 3, 4, 9 and 10
	Land rolling and sandy with grass and palmetto.

Chains.

North between sections 25 and 29

Variation 14-08'E.

** * * * * * * * *

25 and 29, and made a mound with trench and pits as per instructions.

Land second rate and level with fine grass.

East on a random line between sections 21 and 25 Variation 14-05'E.

- 40.00 Set a post for temperary & section corner.
- 80.39 Intersect north and south line 41 links north of the corner to sections 21, 22, 27 and 25, from which corner I run

West on the true line between sections 21 and 25 Variation 13*51'E.

- 40.19 Set a charred post for the 4 section corner and made a mound with trench and pits as per instructions.
- 50.39 The corner to sections 20, 21, 25 and 29 Land level and second rate.

North between sections 20 and 21

Variations 14*08 E.

- 40.00 Set a charred post for the t section corner and made a mound with treach and pits as per instructions.
- 80.00 Set a charred post for the corner to sections 16, 17, 20 and 21, and made a mound with trench and pits as per instructions.

Land second rate, sandy and level.

East on a random line between sections 16 and 21.

Variation 14.08 E.

- 40.00 Set a post for temperary t section corner
- 80.45 Intersect north and south line 35 links morth of corner

to sections 15, 16, 21 and 22, from which corner I run

West on a true line between sections 16 and 21 Variation 13.53 °E.

- 40.22 Set a charred post for the & section corner and made a mound with trench as per instructions.
- 50.45 The corner to sections 16, 17, 20 and 21 Land second rate, level and sandy

North between sections 16 and 17

Variation 14-05'E.

- 40.00 Set a charred post for the g section corner and made a mound with trench and pits as per instructions.
- 50.00 Set a charred post for the corner to sections 8, 9,

 16 and 17, and made a mound with trench and pits as
 per instructions.

Land level and sandy with grass, bushes and palmetto.

East on a random line between sections 9 and 16
Variation 14-08' E.

- 40.00 Set a post for temperary & section corner
- 50.00 To foot of mountain bearing North 30% East
- 50.40 Intersect north and south line 46 links north of the corner to sections 9, 10, 15 and 16, from which corner I run

west on a true line between sections 9 and 16
Variation 13*48' E.

- 40.20 Set a charred post for the 1 section corner and made a mound with trench and pits as per instructions.
- 80.40 The corner to sections 8, 9, 16 and 17
 Soil sandy with grass, bushes and palmetto.

North between sections 5 and 9

Variation 14-08' E.

Chains.

- 40.00 Set a charred post for the * section corner and made a mound with trench as per instructions.
- 50.00 Set a charred post for the corner to sections 4, 5, 5 and 9 and made a mound with trench and pits as per instructions.

Land generally level and second rate.

East on a random line between sections 4 and 9 Variation 14-08'E.

- 40.00 Set a post for temporary & section corner
- 50.33 Intersect the north and south line 36 links north of post corner to sections 3, 4, 9 and 10, from which corner I run

West on the true line between sections 4 and 9 Variation 13.53' E.

- 40.16 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 50.33 The corner to sections 4, 5, 8 and 9.

 Land level with grass, bushes and palmetto.

North on a random line between sections 4 and 5 Yariation 14+05'E.

- 40.00 Set a post for temporary & section corner
- 50.78 Intersect the north boundary of the Township 50 links

 East of the corner to sections 4 and 5, from which

 corner I run

South on the true line between sections 4 and 5 variation 14-29 E.

- 40.78 Set a charred post for the 2 section cerner and made a sound with trench as per instructions.
- 80.78 The cerner to sections 4, 5, 8 and 9

 Land level and sandy with grass, bushes and palmetto.

Worth between sections 29 and 30

Variation 14-08'E.

* * * * * * * * * *

80.00 Set a charred post for the corner to sections 19, 20, 29 and 30, and made a mound with trench as per instructions.

Land level, sandy and generally second rate.

East on a random line between sections 20 and 29

Variation 14-08'E.

40.00 Set a post for the temporary & section corner

50.56m Intersect the north and south line 44 links north of the corner to sections 20, 21, 25 and 29, from which corner I run

West on the true line between sections 20 and 29
Variation 13-49'E.

- 40.25 Set a charred post for the t section corner and made a mound with trench and pits as per instructions.
- 50.56 The corner to sections 29, 30, 19 and 20 Land slightly relling with good grass

West on a random line between sections 19 and 30 Variation 14-08'E.

- 40.00 Set a post for temporary & section corner.
- 79.63 Intersect the west boundary of the township 46 links south of the corner to sections 19 and 30, from which corner I run

East on the true line between sections 19 and 30 Variation 130 45' E.

- 39.63 Set a charred post for the desection corner and made a mound with trench as per instructions.
- 79.63 The corner to sections 19, 20, 29 and 30 Land gently rolling and sandy with good grass

North between sections 19 and 20

T.	7	N.,	R.	9	¥.,	of	the	8.	В.	M	•
----	---	-----	----	---	-----	----	-----	----	----	---	---

Variation 14.05' E.

- 40.01 Set a charred post for the t section corner and made a mound with trench as per instructions.
- 80.00 Set a charred post for the corner to sections 19, 20, 17 and 18, and made a mound with trench as per instructions.

Land level and sandy with grass and bushes.

East on a random line between sections 17 and 20

Variation 140 05' E.

- 40.00 Set a post for temporary & section corner
- 50.61 Intersect the north and south line 45 links north of the corner to sections 16, 17, 20 and 21, from which corner I run

West on the true line between sections 17 and 20

Variation 13.50' E.

- 40.30 Set a charred post for the & section corner and made a mound with trench and pits as per instructions.
- 50.60 The corner to sections 17, 18, 19 and 20 Land level and sandy with grass and bushes.

West on a random line between sections 15 and 19
Variation 14005' E.

- 40.00 Set a post for temporary & section corner
- 79.26 Intersect the west boundary of the township 37 links south of the corner to sections 16 and 19, from which corner I run

East on the true line between sections 18 and 19

Variation 13-42' E.

- 39.26 Set a charred post for the i section corner and made a mound with trench as per instructions.
- 79.26 The corner to sections 17, 18, 19 and 20 Land level and sandy with grass and bushes.

Chains.	North between sections 17 and 18
	Variation 14. 08' E.
40.00	Set a charred post for the 2 section corner and made a
	mound with trench as per instructions.
50.00	Set a charred post for the corner to sections 7, 8, 17
	and 18 and made a mound with trench and pits as per
	instructions.
	Land level and sandy with grass and bushes.
	East on a random line between sections 5 and 17
	Variation 14. OS' E.
40.00	Set a post for temporary & section corner
80.52	Intersect the north and south line 35 links north of
	corner to sections 8, 9, 16 and 17, from which
	corner I run
	West on the true line between sections 5 and 17
	Variation 13* 53' E.
40.26	Set a charred post for the & section corner and made a
	mound with trench as per instructions.
80.52	The corner to sections 7, 8, 17 and 18.
	Land gently rolling with grass and bushes.
	West on a random line between sections 7 and 15
	Variation 14° 08' E.
40.00	Set a post for temperary & section corner
79.10	Intersect the west boundary of the township 44 links
	South of the corner to sections 7 and 18, from
	which corner I run
	East on the true line between sections 7 and 18
	variation 13° 50' E.
39.10	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions.
79.10	The corner to sections 7, 8, 17 and 18
	Land level and sandy with grass and bushes.

ahadaa.	The first of the contract of the third the third
Chains.	North between sections 7 and 8
	Variation 14-08'E.
40. 01	Set a charred post for the & section corner and made a
	mound with trench and pits as per instructions.
80.00	Set a charred post for the corner to sections 5, 6, 7
	and 5 and made a mound with trench as per instructions
	Land level and sandy with grass and bushes.
	February 15, 1856
	East on a random line between sections 5 and 8
	Variation 14. OS' E.
¥0.00	Set a post for the temporary & section corner
80. 46	Intersect the north and south line 42 links north of
	the corner to sections 4, 5, 8 and 9 from which
	corner I run
	West on the true line between sections 5 and 5.
	Variation 13.50' E.
40.23	Set a charred post for the & section corner and made a
	mound with trench as per instructions.
80.46	The corner to sections 5, 6, 7 and 8.
	Land third rate and ascending to the East
	West on a random line between sections 6 and 7
	Variation 140 08' E.
40.00	Set a post for the temporary & section corner
79.00	Intersect the west boundary of the Township 52 links
	south of corner to sections 6 and 7, from which
	corner I run
	East on the true line between sections 6 and 7.
	Variation 13.46'E.
39.01	Set a charred post for the & section corner and made a
	mound with trench as per instructions.
79.00	The corner to sections 5, 6, 7 and 8.
	Land generally third rate.

Chains.

North on a random line between sections 5 and 6

Variation 14-08 E.

- 40.01 Set a post for temporary & section corner
- 80.84 Intersect the north boundary of the township 45 links
 East of corner to sections 5 and 6, from which
 corner I run

South on the true line between sections 5 and 6
Variation 14-27'E.

- 40.84 Set a charred post for the $\frac{1}{6}$ section corner and made a mound with trench as per instructions.
- 80.84 The corner to sections 5, 6, 7 and 8

 Land ascending to the north, soil sandy with bushes,
 and palmetto.

GENERAL DESCRIPTION.

In this township there is much valuable land for grazing as well as a considerable quantity that would produce good crops of grain.

Water is easily obtained by digging.

The only timber is the palmetto which in many places is very abundant.

Surveyed by Henry Hancock, Deputy Surveyor, Contract dated March 7, 1865.